



# **HEMATOMIC PLUS**

# Restorative tonic-Injectable hematinic Hematopoiesis precursor Injectable solution

#### Formula:

| Cianocobalamine (Vitamin B12) | 0.0015 g - |
|-------------------------------|------------|
| (50% in excess)               |            |
| Cobalt Chloride Hexahidrate   | 0.05 g     |
| Thriptophan                   | 0.25 g     |
| Histidine Chlorhidrate        | 0.50 g     |
| L-Methionine                  | 1.00 g     |
| Ammoniacal Iron Citrate       | 2.00 g     |
| Sodium Cacodylate             | 3.00 g     |
| Magnesium Glycerophosphate    | 1.50 g     |
| Excipients q.s.               | 100 mL     |



#### Indications:

Restorative tonic and anti-anemia (hematopoiesis precursor).

For the treatment and prevention of diseases associated to hematopoiesis disorders, such as anemia. It is a contributor in the treatment of general state recovery and in the convalescence of infectious and parasitic diseases. Supplement of amino acids by malnutrition. For reproducers in period of rest.

Support in growing. Appetite stimulator.

### **Target species:**

Bovine, ovine, caprine, equine, swine, canine and feline.

### Withdrawal period:

Do not slaughter animals for human consumption until 5 days after the last treatment.

### Route of administration:

Parenteral by subcutaneous route, intramuscular or intravenous.

## Dosage:

The dose and frequency can be modified according to the veterinarian's discretion.

Big animals: 10 to 20 mL daily.

Medium animals: 5 to 10 mL, repeat every 4 to 5 days.

Young animals: 2 to 5 mL, repeat every 2 days.

Swine: 1 mL every 10 kg of weight, repeat every 2 days.

Canine: 1 mL every 5 kg of weight.

Feline: 0.5 to 2 mL.



